



Automate Admin

Copyright © 2019 Volk

Version 1.0.0.0

Automate Admin Glossary of Terms for the 1.0.0.0 version

Config Server

Server where Automate Admin application stores its configuration.

User's Computer

The computer that the Application considers as user's computer.

Other Computers

All computers inside the network (except "User's Computer") are considered Other Computers by the Application.

New Computer

Inside the Application, a New Computer represents the phase through which the computer passes to become "User's Computer".

Config check interval

Config check interval determines how often Automate Admin Logon Script will check for User's configuration changes on Config Server.

Users

Users defined in the Application.

Templates

Templates defined in the Application.

Printer Groups

Grouped printers.

Network Printers

Printers connected to a computer via Standard TCP/IP Port.

Actions

Commands defined inside the Application that executes on user computers.

Action Groups

Grouped Actions.

Shell Actions

Shell Action is a command defined in the Application which is intended to execute on user computers as if it was launched from Command Prompt.

Force Folder Content Actions

Force Folder Content is a Command defined inside the Application that forces content of a particular folder onto user computers.

Force Registry Value Actions

Force Registry Value is a Command defined inside the Application that forces a particular Registry Value onto user computers.

Context Menu Actions

Context Menu Action is a Command defined inside the Application that executes on user computers as if it was started from context menu of executable.

Backup Time

Backup Time determines when Backup Starts.

Backup Schedule

The Backup Schedule determines how often the data is backed up.

Backup Sets

The Backup Set determines list of files, folders and Registry values which are considered for the Backup.

Backup Folders

List of folders for backup.

Backup Single Files

List of single files for backup.

Backup Extensions

File extensions that will be backed up.

Backup Registry Keys

Registry Keys that will be backed up.

Backup Single Registry Values

Single Registry Values that will be backed up.

Data Server

The server that the Application considers as a server which holds backups of users' data.

Automate Admin Logs

There are several logs in the application. This is their summary name.

Logon Script Log

Log that generates Automate Admin Script which runs on user computers.

Backups in Progress

List of users who currently run backups.

Logged in Users

List of Logged in Users on Network Computers.

Logged in App Admins

List of users currently using the Automate Admin Application.

Application Log

Application-generated log.